
## UNIT WIDTH = 100 mm



First Bar

Last Bar

UNIT WIDTH = 160 mm

## UNIT WIDTH = 100 mm

# Senokot **WORKS WITH YOUR BODY TO** RELIEVE CONSTIPATION

t may be harmful to take too much of this medicine or take it for too long. This is because it may lead to: A 'lazy bowel', where the muscle in the bowel becomes too relaxed. This means that bowel emptying ha

It may be nammu to take too much or ins meutone or take it or too long. Into 5 because it may lead ut.

\*A lazy bower, where the muscle in the bower becomes too relaxed. This means that bowel emptying happen;
often. This can lead to long-term constipation.

\*I mibalance of fluids and salis in the body. This can affect the tightness of muscles such as those in the bowel.

It can also affect the salts in the blood.

Low levels of potassium in the blood (called hypo-kalaemia). This can make you tired, dizzy, make your muscles

Dehydration, making you thirsty, feel faint and giving you headaches. It can also mean that you cannot pass

### 4. POSSIBLE SIDE EFFECTS

(A. PUDSIBLE STIDE EFFELIS)

Idike all medicines, this medicine can cause side effects, although not everybody gets them.

If any of the following or other side effects occur, stop taking this medicine and consult a doctor or pharmacist:

Abdominal pain, spasms and diarrhea, in particular these effects may be experienced by patients with irritable colon in these cases, a reduction in dose may be necessary.

Hypersensitivity (allergic) reactions, hives (skin bumps), skin itchiness or local or more widespread rash, or asthma.

Can make you more likely to catch infections.

Chronic use may lead to albuminuria and haematuria which is albumin or red blood cells in the urine.

Pellow or red-brown discoloration of urine may occur, which is harmless chronic use may cause pigmentation of the gastrointestinal tract which usually recedes when the product is no longer taken.

Low potassium levels in the blood leading to muscle weakness and/or cramps.

Changes in the shape of the finger and fingernail, muscular spasms and inflammation of bones and joints he frequency is not known.

UNIT WIDTH

## 5. HOW TO STORE SENOKOT TABLET

Keep out of the reach and sight of children. Store below 25°C. Store in the original package. Do not use after the expiry date shown on the package

## 6. FURTHER INFORMATION

Reckitt Benckiser Healthcare (UK) Ltd., Dansom Lane, Hull, East Yorkshire, HU8 7DS United Kingdom.

, Product Registration Holder Imported by: RB (Health) Malaysia Sdn Bhd (1297081-V), Level 17, Menara One Sentrum, No. 201, Jalan Tun Sambanthan 50470 Kuala Lumpur. Careline number: 1800-888-889

Imported by: Reckitt Benckiser (Singapore) Pte. Ltd., 12 Marina Boulevard #19 – 01, Marina Bay Financial Centre, Tower 3, Singapore 018982. Careline number: 1800-875-0770

Date of Revision: 07/04/2017

# **RB Artwork and Print Specification**

250

240

220

210

200

180

170

160

150

140

130

120

110

-8

9

-8

2

9

20

4

30

Trident Reference No: TR1440566 ZEN Ref:

> В Brand: Senokot Category: Stimulant Laxative

Segment Group: Regular Tablet Pack Size: 60Tablets

Malaysia/Singapore/Taiwar Market/Country: 23/01/19

RBH Contact: Kelly Wee

## **Artwork Type: Commercial**

Component Code (2D if applicable): Parent Technical Packaging

Specification: Finished Goods Code 012555 Supply Point: RB Hull Pharmacode No/NE: 00111(38) Edgemark Position

CAD Cam Ref: Skt-Lflt-D0000496-100x160mm Essentra Packaging (Bradford, UK) Printer: Paper White

NA

Technical & Non Printing Items Cutter Cutter 2 (if applicable)

Guides Guides 2 (if applicable) Colours (Leaflet)

-

Substrate:

# **BARCODE INFO**

Barcode Type: N/A Barcode Number Magnification: N/A Truncated By: N/A Full Height: N/A Bar Height (Smallest Bar): N/A BWR:

HEALTH > HYGIENE > HOME



Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Jamie Tan

v2.0

Sm•Art check results: G=2; O=8; R=0; - JT - 23/01/19 10:27:43

**CUSTOMER INFO:** Minimum Point Size = 5.00pt

Manufacturing site			
Pack Tech approver	1 <sup>st</sup> 2 <sup>nd</sup>		
Date			j R
Check Criteria	Details & Comments	Checks	Р
Approvals		1st 2nd	Trident Re
Market Approval			ZEN Ref:
Regulatory Approval			Action:
3rd Party Approval			Brand: Category:
Technical Drawing/Cutter ref no.			Segment
PPI component code correct on artwork?			Segment: Pack Size:
Correct drawing for the production line?		<del></del>	Market/C
Profile shape & dimensions Graphics layout/orientation			Date:
Unwind diagram (PPTD1022/1-20)		<del></del>	RBH Con
Printable areas/bleed		<del>-      </del>	Artw
Varnish free areas		<del>-      </del>	Compon
Variable coding position & dimensions		<del>-      </del>	Parent Te Specifica
Varnish and print requirements		<del>-      </del>	Finished
Pre-printed headers (alignment and suitability	v)	<del></del>	Supply Po Pharmace
Embossing, Braille & Foil Blocking	,,	<del></del>	Edgemai
Separations on artwork		<del></del>	CAD Car
Alignment within cutter		<del></del>	Printer:
Braille structure		<del></del>	Substrate
Verification Code Type; Pharma Code / 2D / 00	CV	<del>-    </del> [	Technica
Bar sequence and/or number correct Position			Cutt
Size (height, width, spacing, font)		<del>-      </del>	Guid
Direction of read			Colour
Light margins and print free areas			PANTON
Colour			
Repeat distance (reeled material)		<del>-    </del>	
Cross check related docs ie BOM			
Bar code Type; EAN, ITF, Code39, etc			
Magnification / width and height			
Colour (e.g. black print on white background)			
Light margins & indicators			
Bearer bars & H gauges (if required)			
Symbol grade (Pass = A,B,C; Action = D,F)			
Bar code number (human readable)			
Bar code number (encoded & hidden data)		<del></del>	
Confirm bar code number from source			BA
Cross check related docs (JDE/PID)			Danada
Photo-electric cell mark / edge marks			Barcode Barcode
Present & per Tech drawing?			Magnific Truncate
Correct pitch?			Full Heig
Additional markings			Bar Heig
e-mark, recycle logo etc			BWR: Encoded
Legend box (RB specification)			
Correct component code			
Correct D spec / has cutter changed?			
Correct printer / has printer changed?			
Correct Substrate			
A/W is set up appropriately for this substrate			
Edge mark details			
Pharmacode details			
Colours & print process			
Varnish			
Barcode information			
General details are correct			
Pass / Fail comments and Signature			Please
By approving the artwork referenced within the	his form I authorise it for release to the pr	rint supplier	associa
Additional Comments			

# RB Artwork and rint Specification

erence No: RB340294 TR1440566 В Stimulant Laxative Regular Tablet 60Tablets 23/01/19 Kelly Wee

240 250

220

210

200

190

180

170

160

120

130

120

110

10

-8

-8

70

-9

20

40

30-

9-

## ork Type: Commercial

nt Code (2D if applicable): hnical Packaging oods Code: 012555 RB Hull e No/NE: 00111(38) Position:

Skt-Lflt-D0000496-100x160mm Essentra Packaging (Bradford, UK) Paper White

& Non Printing Items
er Cutter 2 (if applicable) Guides 2 (if applicable)

(Leaflet) 347 C 1 LTH

# RCODE INFO

N/A (Smallest Bar): N/A





Connaught House, Connaught Road, ingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

note that any low resolution paper Canon colour copies and with this job should be referred to for content, layout and colour separation only.

DER NO CIRCUMSTANCES SHOULD THIS RTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Jamie Tan

Sm•Art check results: G=2; O=8; R=0; - JT - 23/01/19 10:27:43

Version 003 19/9/2016